

# Peer-to-Peer Inference Systems and (Non-)Conservative Extension of a KB

*AI Communications: The European Journal on AI, 2009*

---

Nada Abdallah

François Goasdoué


Université Paris-Sud & CNRS (LRI/IASI) – INRIA (Saclay/GEMO)



## Peer-to-peer inference system

Each peer has:

- a KB using its *own* symbols
- a set of mappings with other peers
- a copy of a decentralized reasoning algorithm




Is  $S$  a conservative extension of  $P_1$ ?

No, in the general case.

$S$  may provide extra knowledge about the own application domain/arera of expertise of  $P_1$ , whether  $P_1$  *agrees with or not*.

## Conservative extension of a KB



$\Sigma_1 \cup \Sigma_2$  is a conservative extension of  $\Sigma_1$  iff

$\forall f$  using the symbols of  $\Sigma_1$  *only*

If  $f \in$  Consequences of  $\Sigma_1 \cup \Sigma_2$


Then  $f \in$  Consequences of  $\Sigma_1$

$\Sigma_1 \cup \Sigma_2$  does not have more knowledge in terms of the *own* symbols of  $\Sigma_1$  than  $\Sigma_1$  itself.

## Peer-to-peer inference system

Each peer has:


- a KB using its *own* symbols
- a set of mappings with other peers
- a copy of a decentralized reasoning algorithm



Is  $S$  a conservative extension of  $P_1$ ?

No, in the general case.


$S$  may provide extra knowledge about the own application domain/arera of expertise of  $P_1$ , whether  $P_1$  *agrees with or not*.



## Peer-to-peer inference system

Each peer has:

- a KB using its *own* symbols
- a set of mappings with other peers
- a copy of a decentralized reasoning algorithm



Is S a conservative extension of  $P_1$ ?

No, in the general case.

S may provide extra knowledge about the own application domain/arera of expertise of  $P_1$ , whether  $P_1$  *agrees with or not*.

Does it matter?

→ Non-conservative extension of  $P_1$  amounts to

1. → Knowledge corruption

$P_1$  has a complete description of its application domain : it is an expert.

*Claim: it should be able to forbid the extra knowledge.*

2. → Possible knowledge corruption

$P_1$  has an incomplete description of its application domain but it is an expert.

*Claim: it should be able to forbid the inaccurate extra knowledge.*

3. → Knowledge to learn

$P_1$  has an incomplete description of its application domain and it is not an expert.

*Claim: it should be able to get the extra knowledge.*

## P2PISs and Conservative Extension Checking

### Contributions

We study two problems from a theoretical and a decentralized algorithmic perspectives:

1. Deciding whether a P2PIS is a conservative extension of a given peer
2. Computing the witnesses to non-conservativeness of a peer, together with their causes

### Motivations

To allow a peer to forbid or to learn the extra knowledge that a P2PIS has wrt its application domain/area of expertise

### Setting

#### Propositional P2PISs

→ A good tradeoff between expressivity and scalability.

Applications in IA: Diagnosis


Applications in DB: Peer Data Management Systems for the Semantic Web

# Summary of the talk

- Peer-to-Peer Inference Systems
- Reasoning Problems
- Techniques
- Conclusion

## Propositional P2PISs

S



$$T(S) = T(P_1) \cup T(P_2) \cup T(P_3) \cup M(P_1) \cup M(P_2) \cup M(P_3)$$

# Summary of the talk


- Peer-to-Peer Inference Systems
- Reasoning Problems
- Techniques
- Conclusion

## Decision problem: $CE^{dec}$

INSTANCE: Let  $S$  be a P2PIS, a peer of which is  $P$ .

QUESTION: Is  $S$  a conservative extension of  $P$ ?

$S$  is a conservative extension of  $P$ :



Complexity issue

- $\Pi_2^P$ -complete for unrestricted clauses
- in  $\Delta_2^P$  for  $K_{\geq 3}$ -clauses
- in  $\Pi_1^P$  for (reverse-)Horn clauses
- in  $P$  for Krom clauses (i.e., 2-clauses)

Algorithmic issue

$T(S)$  is a theory distributed among autonomous peers

Decentralized algorithms

## Functional problem: $CE^{\text{fun}}$

INSTANCE: Let  $S$  be a P2PIS, a peer of which is  $P$ .

QUESTION: What are the witnesses to non-conservativeness of  $P$  within  $S$ ?

---

### Witness (i.e., a clausal counterexample to conservativeness)

Let  $S$  be a P2PIS, a peer of which is  $P$ . Let  $c$  be a clause of  $L(P)$ .

$c$  is a witness to non-conservativeness of  $P$  within  $S$  iff  $T(S) \models c$  and  $T(P) \not\models c$ .

### Complexity (space/time)

- $CE^{\text{fun}}$  is **at least as hard as**  $CE^{\text{dec}}$ :  $CE^{\text{dec}}$  is *true* whenever  $CE^{\text{fun}} \neq \{\}$  and *false* otherwise.
- $CE^{\text{fun}}$  is **strictly harder than**  $CE^{\text{dec}}$  for unrestricted clauses and (reverse-)Horn clauses.

Clauses	Space	Time	$CE^{\text{dec}}$
Unrestricted	Exp	Exp	$\Pi_2^P$ -complete
$K_{>=3}$ -clauses	P	Exp	in $\Delta_2^P$
(reverse-)Horn	Exp	Exp	in $\Pi_1^P$
Krom	P	P	in P

# Summary of the talk

- Peer-to-Peer Inference Systems
- Reasoning Problems
- **Techniques**
- Conclusion

## Techniques

S is a conservative extension of P:

$\forall \mathbf{c} \in L(P)$ , if  $T(S) \models \mathbf{c}$  then  $T(P) \models \mathbf{c}$

---

What is the *necessary* and *sufficient* subset of  $L(P)$  to answer  $CE^{\text{dec}} / CE^{\text{fun}}$ ?

### Exact characterization

The prime implicates of S that *necessarily* follow from a mapping of P:

$\{\mathbf{c} \mid \mathbf{c} \in L(P) \text{ and } \mathbf{c} \in \text{PI}(S) \text{ and } \mathbf{c} \notin \text{PI}(S \setminus \{m\}) \text{ s.t. } m \in M(P)\}$ .

S is a conservative extension of P:

$\forall m \in M(P)$ , if  $T(S) \vdash_{LR}^m \mathbf{c}$  s.t.  $\mathbf{c} \in L(P)$  then  $T(P) \cup \{\neg \mathbf{c}\} \vdash_R \square$


# The Conservative Extension Checking Algorithm (CECA)

*CECA solves both  $CE^{dec}$  and  $CE^{fun}$*

S is a conservative extension of P:


$\forall m \in M(P)$ , if  $T(S) \vdash_{LR}^m c$  s.t.  $c \in L(P)$  then  $T(P) \cup \{\neg c\} \not\vdash_R \square$

<b>CECA running on P</b>	
$\forall m \in M(P)$ , $W = \{(c,m) \mid T(S) \vdash_{LR}^m c \text{ s.t. } c \in L(P)\}$ is computed	<b>Decentralized linear deduction</b> <b>DECA<sub>LR</sub>(m)</b> <i>A linear variant of DECA</i> <i>IJCAI'05 &amp; JAIR (2006).</i>
For $(c,m) \in W$ , check whether $T(P) \cup \{\neg c\} \not\vdash_R \square$	<b>Centralized refutation</b>

$CE^{dec}$   **Yes**  
**No**

$CE^{fun}$   $\rightarrow$  **Witnesses and their causes**

# CECA



# Summary of the talk

- Peer-to-Peer Inference Systems
- Reasoning Problems
- Techniques
- Conclusion

# Conclusion

## **Our work can be directly applied to**

- Propositional P2PISs
- PDMSs for the Semantic Web that are built on top of Propositional P2PISs
  - SomeOWL (*Journal of Artificial Intelligence Research*, 2006)
  - SomeRDFS (*Journal on Data Semantics*, 2007)
  - SomeDL-lite (*International Joint Conference on Artificial Intelligence*, 2009)

## **It can be applied to inconsistency management**

### **It can be applied to KB/ontology mapping**

A user or an expert can decide whether a new mapping is acceptable or not

- The mapping being given by someone or being automatically discovered

### **It may be used in decentralized diagnosis**

Does the logical model respect the specifications of the components?

- NO: Is there a modeling problem of the P2P application?
- NO: Can we find a more adequate (and cheaper) component?