

# Spoken document retrieval using neighboring documents and extended language models for query likelihood model

Kazuaki Ogawa  
Gifu University  
1-1 Yanagido Gifu  
Gifu 501-1193 Japan  
kazuaki@asr.info.gifu-u.ac.jp

Tatsuaki Murahashi  
Gifu University  
1-1 Yanagido Gifu  
Gifu 501-1193 Japan  
murahashi@asr.info.gifu-u.ac.jp

Hiroaki Taguchi  
Gifu University  
1-1 Yanagido Gifu  
Gifu 501-1193 Japan  
tag@asr.info.gifu-u.ac.jp

Koudai Nakajima  
Gifu University  
1-1 Yanagido Gifu  
Gifu 501-1193 Japan  
nakajima@asr.info.gifu-u.ac.jp

Masanori Takehara  
Gifu University  
1-1 Yanagido Gifu  
Gifu 501-1193 Japan  
takehara@asr.info.gifu-u.ac.jp

Satoshi Tamura  
Gifu University  
1-1 Yanagido Gifu  
Gifu 501-1193 Japan  
tamura@info.gifu-u.ac.jp

Satoru Hayamizu  
Gifu University  
1-1 Yanagido Gifu  
Gifu 501-1193 Japan  
hayamizu@gifu-u.ac.jp

## ABSTRACT

This paper proposes several approaches for NTCIR-12 SpokenQuery & Doc-2[1]. Our methods are based on the query likelihood model which is one of the probabilistic language models choosing Dirichlet smoothing. We try to improve the performance by using extended language models. First, this paper develops and uses the language model obtained from related research papers. Second, this paper proposes a smoothing method employing the cache model and the  $N$ -gram model based on Kneser-Ney smoothing. Finally, this paper proposes a smoothing method using neighboring documents. Experiments were conducted to evaluate these methods using NTCIR-12 test sets.

## Team Name

Laboratoire de Professeur Chat Noir

## Subtasks

SQ-SCR (Japanese)

## Keywords

Information retrieval, Query likelihood model, Dirichlet smoothing, Research papers corpus, Cache model,  $N$ -gram model, Neighboring document

## 1. INTRODUCTION

In recent years, multi media contents such as musics, news shows, and movies have been increasing. Moreover the demand of retrieving these contents has been growing. In this paper, we focus on a speech modality for retrieval, therefore, we call these contents as spoken documents. Spoken documents are desirable to be retrieve quickly. In order to deal with numerous contents, Spoken Document Retrieval(SDR) is conducted using automatically transcribed speech data

obtained by speech recognition. SDR has two tasks called Spoken Contents Retrieval(SCR) and Spoken Term Detection(STD). We focus on the SCR task.

There are a lot of researches related to SCR. A vector space model is used widely in document retrieval including our works[2, 3, 4], however, the vector space model has a disadvantage that it is not robust to retrieve spoken documents including speech recognition errors. Therefore many methods to retrieve spoken documents have been proposed[5]. There are some techniques called query expansion in the vector space model[6]. Many researches employ probabilistic models, especially the query likelihood model[7]. For example, Hasegawa et al.[3, 4] proposed a new modeling approach by expanding the query likelihood model. In the method, not only a static document collection but also a dynamic document collection obtained from web pages were employed in the Dirichlet smoothing.

This paper proposes several approaches using Dirichlet smoothing, and investigates effectiveness of using external resources, contextual information, and neighboring documents. Dynamic documents from web pages often include unnecessary or useless sentences. In order to efficiently utilize external resources, we use research papers for dynamic documents instead of web pages. Because research papers include many technical terms related to target documents that should be retrieved, exploiting documents much related to the target domain must be useful. In addition, we focus on contextual information. Focusing on one sentence or document, its neighboring ones must have useful information for document retrieval. We try to use such the information. Thus, this paper proposes extended language models for the query likelihood model. As the extended language models, we use 1) unigram from the research papers, 2) cache model, and 3)  $N$ -gram language model. On the other hand, this paper proposes to use neighboring documents by weighting them.

This paper is organized as follows. Section 2 describes the query likelihood model and smoothing techniques. Section 3 introduces our proposed approaches. The experimental conditions and the results are presented in Section 4. Section 5 concludes this study.

## 2. SDR BASED ON QUERY LIKELIHOOD MODEL

This section describes the query likelihood model, the Dirichlet smoothing, and the extended Dirichlet smoothing.

### 2.1 Query likelihood model

The document retrieval issue can be formulated by estimating  $P(d|q)$ , where  $q$  is a given query and  $d$  is a document. Applying the Bayesian theorem,  $P(d|q)$  is calculated as follows:

$$P(d|q) = \frac{P(q|d)P(d)}{P(q)} \propto P(q|d) \quad (1)$$

In Eq.(1),  $P(q)$  can be regarded as a constant because  $P(q)$  is independent of any document.  $P(d)$  can be ignored when no previous knowledge can be used. Therefore the document retrieval issue can be resolved by estimating  $P(q|d)$ .  $P(q|d)$  is a probability to generate a query  $q$  under the condition that a document  $d$  is found. This strategy is called the query likelihood model.

The probability  $P(q|d)$  is obtained using a language model in this study. Considering corpus sizes used in this work, we employ a unigram language model. Therefore the query likelihood model  $P(q|\theta_d)$  is estimated by the unigram language model  $\theta_d$  as:

$$P(q|\theta_d) = \prod_{w_i \in V} P(w_i|\theta_d)^{C(w_i, q)} \quad (2)$$

where  $w_i \in V = \{w_1, w_2, \dots, w_{|V|}\}$  is a term in a given query, and  $w_i$  can appear more than once in the query  $q$ .  $C(w_i, q)$  is the number of  $w_i$  in the query  $q$ .  $P(w_i|\theta_d)$  is calculated by using a relative frequency of each term:

$$P(w_i|\theta_d) = \frac{C(w_i, d)}{|d|} \quad (3)$$

where  $|d|$  means the total number of terms in a document  $d$ .

### 2.2 Dirichlet smoothing

In the query likelihood model, smoothing techniques are usually used to avoid the zero probability problem. One of the smoothing ways is linear interpolation. The linear interpolation is formulated by:

$$P(w_i|\theta_d; \lambda) = \lambda \cdot P(w_i|\theta_d) + (1 - \lambda) \cdot P(w_i|\theta_C) \quad (4)$$

$$P(w_i|\theta_C) = \frac{\sum_{d \in C} C(w_i, d)}{\sum_{d \in C} |d|} \quad (5)$$

where  $\lambda$  is a smoothing parameter ( $0 \leq \lambda \leq 1$ ). In Eq.(4),  $\theta_C$  is a unigram language model for a static document collection  $C$ .  $P(w_i|\theta_C)$  is an occurrence probability of  $w_i$  in the static document collection  $C$ . The above method uses fixed




Figure 1: Overview of proposed methods

smoothing parameters, on the other hand, another smoothing technique, Dirichlet smoothing, performs flexible combination according to the document length[8, 9]. The Dirichlet smoothing is given by:

$$P(w_i|\theta_d; \mu) = \frac{|d|}{|d| + \mu} \cdot P(w_i|\theta_d) + \frac{\mu}{|d| + \mu} \cdot P(w_i|\theta_C) \quad (6)$$

where  $\mu$  is a smoothing parameter. The Dirichlet smoothing is empirically better than the linear interpolation, therefore, we employ the Dirichlet smoothing approach.

### 2.3 Dirichlet smoothing using dynamic documents

In Eq.(6), a target document collection is used as a static document collection  $C$ . But if the given query has any terms that do not appear in static documents, the model  $\theta_d$  cannot deal with the terms. Therefore Hasegawa et al.[3] proposed to use another document as a dynamic document collection obtained from web pages, in addition to a static document collection. The Dirichlet smoothing was extended using these documents expecting to reduce unknown words. In the method, the extended Dirichlet smoothing is given by:

$$\begin{aligned} P(w_i|\theta_d; \mu, \nu) &= \frac{|d|}{|d| + \mu + \nu} \cdot P(w_i|\theta_d) \\ &+ \frac{\mu}{|d| + \mu + \nu} \cdot P(w_i|\theta_C) \\ &+ \frac{\nu}{|d| + \mu + \nu} \cdot P(w_i|\theta_W) \end{aligned} \quad (7)$$

where  $P(w_i|\theta_W)$  is a unigram model for a dynamic document collection  $W$ , and  $\nu$  is a smoothing parameter for  $W$ .

## 3. PROPOSED METHODS

### 3.1 Research paper corpus

Hasegawa et al. used web documents as a dynamic document collection in the extended Dirichlet smoothing[3, 4]. However, web documents have a lot of noises; some sentences, paragraphs or documents themselves are unnecessary, useless or unstudied. We propose to use a corpus consisting of much relevant documents, in this case, i.e. research papers in ASJ(Acoustical Society of Japan) for the extended

**Table 1: Experimental condition.**

Task	SpokenQuery&Doc-2
Subtask	SQ-SCR SGS retrieval
Query	K-REF-WORD-MATCH
Target	K-REF-WORD-MATCH
Static document collection	Target documents
Dynamic document collection	Research papers in ASJ

Dirichlet smoothing instead of web documents. The corpus of research papers contains lots of professional terms related to the queries and the target documents. In addition, the corpus consists of formatted sentences. We selected 1000 papers from 8336 papers (published in 2005 to 2014) in the corpus based on cosine similarities of TF-IDF vectors between the papers and the queries. Then, selected papers are different at each query. We used selected papers for the smoothing method instead of web documents in the extended Dirichlet smoothing. The formula of the smoothing method using research papers is shown as:

$$\begin{aligned}
 P(w_i|\theta_d; \mu, \nu) &= \frac{|d|}{|d| + \mu + \nu} \cdot P(w_i|\theta_d) \\
 &+ \frac{\mu}{|d| + \mu + \nu} \cdot P(w_i|\theta_C) \\
 &+ \frac{\nu}{|d| + \mu + \nu} \cdot P(w_i|\theta_R)
 \end{aligned} \quad (8)$$

where  $R$  is a dynamic document collection using research papers,  $\theta_R$  is a unigram model for the corpus, and  $\nu$  is a smoothing parameter for  $R$ .

### 3.2 Cache model and $N$ -gram model

A cache model is based on local nature of terms that preceding terms are likely to be used again. A probability for the cache model  $P_{CH}(w_i|M)$  is calculated as:

$$P_{CH}(w_i|M) = \frac{1}{|M|} \sum_{w_j \in M} \delta(w_i, w_j) \quad (9)$$

$$\delta(w_i, w_j) = \begin{cases} 1 & (w_i = w_j) \\ 0 & (otherwise) \end{cases} \quad (10)$$

where  $M$  is  $|M|$  terms appeared just before a target document  $d$ , and  $\delta()$  is the Kronecker's  $\delta$  function. Then,  $M$  can be replaced to terms in a target document  $d$ .

$$P_{CH}(w_i|d) = \frac{1}{|d|} \sum_{w_k \in d} \delta(w_i, w_k) \quad (11)$$

Moreover, this paper focuses on the model used both  $P_{CS}(w_i|M)$  and  $P_{CS}(w_i|d)$  [10].

$$P_{CH}(w_i|M, d) = \frac{1}{|M| + |d|} \left\{ \sum_{w_j \in M} \delta(w_i, w_j) + \sum_{w_k \in d} \delta(w_i, w_k) \right\} \quad (12)$$

Typically, the cache model is used for linear interpolation in the  $N$ -gram model. We propose to use the cache model and the  $N$ -gram model in the Dirichlet smoothing. The formula

of the smoothing method using linear interpolation of the cache model and the  $N$ -gram model is shown as:

$$\begin{aligned}
 P(w_i|\theta_d; \mu, \nu) &= \frac{|d|}{|d| + \mu + \nu} \cdot P(w_i|\theta_d) \\
 &+ \frac{\mu}{|d| + \mu + \nu} \cdot P(w_i|\theta_C) \\
 &+ \frac{\nu}{|d| + \mu + \nu} \cdot P(w_i|\theta_{KC})
 \end{aligned} \quad (13)$$

$$P(w_i|\theta_{KC}) = \left( \gamma P_{KN}(w_i|\theta_{KN}) + (1 - \gamma) P_{CH}(w_i|M, d) \right) \quad (14)$$

In Eq.(13) and Ep.(14),  $P_{KN}(w_i|\theta_{KN})$  is a probability based on an  $N$ -gram model,  $\theta_{KN}$  is an  $N$ -gram model using Kneser-Ney smoothing for a target document  $d$ ,  $P_{CH}(w_i|M, d)$  is a probability based on a cache model,  $\nu$  is a smoothing parameter for  $KC$ , and  $\gamma$  is a parameter for linear interpolation ( $0 \leq \gamma \leq 1$ ). In this paper, we train the  $N$ -gram model using  $d$  and  $M$ . We expect to add contextual information by using the cache model and the  $N$ -gram model in the extended Dirichlet smoothing.

### 3.3 Neighboring documents

Parallel materials such as presentation slides and related papers are useful informations in Spoken Document Retrieval. In this task, target documents are divided by the presentation slides. The term length of a target document is often too short to match a query. Therefore we use not only a target document but also its neighboring documents to calculate a similarity between a query and a target document. The formula of the similarity score  $S'(i)$  using neighboring documents is as follows:

$$S'(i) = \sum_{n=-L}^L w_n S(i+n) \quad (15)$$

$$w_n = \frac{1}{|n| + 1} \quad (16)$$

In Eq.(15),  $S(i)$  is a similarity score of a partial document corresponding to  $i$ -th slide and a query.  $L$  is the number of neighborhood slides.  $w_n$  is a weighting coefficient of each score. We use an inverse proportion coefficient for weighting. For more details, please refer to [11].

## 4. EXPERIMENTS

### 4.1 Experimental condition

To evaluate our proposed methods, we conducted experiments under the condition of SQ-SCR SGS retrieval task in NTCIR-12 SpokenQuery&Doc-2. Experimental conditions are shown in Table 1.

For target documents and a static document collection, we used the provided automatic transcription by KALDI tool kit. Retrieved results were evaluated by Mean Average Precision(MAP) score.

### 4.2 NTCIR-12 Dry-run evaluation

In order to determine the hyper parameters, we tested following our four retrieval methods using NTCIR-12 SpokenQuery&Doc-2 Dry-run data.




Figure 2: MAP scores of Method 1 and 2, according to the parameter  $\mu$  using NTCIR-12 Dry-run data.




Figure 3: MAP scores of Method 3 and 4, according to the parameter  $\mu$  when fixed  $\nu = 80$  using NTCIR-12 Dry-run data.

1. Query-likelihood-model-based method using Dirichlet smoothing.
2. Our Method 1 + using neighboring documents.
3. Our Method 1 + using the extended unigram model from research papers.
4. Our Method 3 + using neighboring documents.

We considered a smoothing parameter  $\mu$  in the static document smoothing. Figure 2 shows the result by various values of  $\mu$  in our Method 1 and 2. In addition, figure 3 shows the result by various values of  $\mu$  in our Method 3 and 4 when  $\nu = 80$  experimentally. As a result, we are empirically determined  $\mu = 320$  and  $\nu = 80$ .

### 4.3 NTCIR-12 Formal-run evaluation

We tested the following our six retrieval methods using NTCIR-12 SpokenQuery&Doc-2 Formal-run data.

1. Query-likelihood-model-based method using Dirichlet smoothing.

Table 2: Experimental condition for NTCIR-12 Formal-run evaluation.

$\mu$ and $\nu$ in the Dirichlet smoothing	Method 1 and 4 : $\mu = 320$ Method 2 and 5 : $\mu = 320, \nu = 80$ Method 3 and 6 : $\mu = 320, \nu = 10$
$ M $ in the cache model	$ M  = 100$
$N$ in the $N$ -gram model	$N = 5$
$\gamma$ for linear interpolation	$\gamma = 0.25$

Table 3: MAP scores of our approaches for NTCIR-12 Formal-run evaluation.

	Research papers	Cache model and N-gram model	Neighboring documents	MAP
Method 1				0.197
Method 2				0.193
Method 3				0.215
Method 4				0.242
Method 5				0.239
Method 6				0.252

2. Our Method 1 + using the extended unigram model from research papers.
3. Our Method 1 + using the extended language model employing linear interpolation of the cache model and the  $N$ -gram model.
4. Our Method 1 + using neighboring documents.
5. Our Method 2 + using neighboring documents.
6. Our Method 3 + using neighboring documents.

Table 2 shows about parameters for NTCIR-12 Formal-run evaluation. The smoothing parameter  $\mu$  was determined as  $\mu = 320$  in Method 1 and 4. The smoothing parameters  $\mu$  and  $\nu$  were determined as  $\mu = 320$  and  $\nu = 80$  in Method 2 and 5. Only Method 3 and 6,  $\mu = 320$  and  $\nu = 10$  were used according to preliminary experiments. Method 2 and 5 used dynamic documents obtained from research papers as external information, but Method 3 and 6 used only static documents. Moreover, in Method 3 and 6, the Dirichlet smoothing is extended to use a target document and a part of static documents in the cache model and the  $N$ -gram model. Thus the parameter  $\nu$  in Method 3 and 6 was experimentally determined  $\nu = 10$ . In addition, the parameter  $|M|$  in the cache model, the parameter  $N$  in the  $N$ -gram model, and the parameter  $\gamma$  for linear interpolation are experimentally determined  $|M| = 100$ ,  $N = 5$ , and  $\gamma = 0.25$ .

Table 3 shows MAP results computed by the evaluation tool distributed from NTCIR-12 SpokenQuery&Doc-2 Task organizer. All retrieval methods are based on the query likelihood model using the Dirichlet smoothing. Comparing Method 1 - 3 to 4 - 6, our proposed methods using neighboring documents were better than the other methods. We can see that it is useful to use neighboring documents.

Next, comparing Method 1, 4 to 2, 5, we found that each MAP score of Method 2 and 5 slightly decreased. It is con-

sidered to affect extended smoothing method using the unigram model with research papers. Then, it is estimated that unknown words and the way to select research papers are the factor to become worse.

We obtained the best result when using Method 6. Consequently, the smoothing method using neighboring documents in addition to linear interpolation of the cache model and the  $N$ -gram model is useful on NTCIR-12 Formal-run evaluation. On the other hand, not using neighboring documents, the best result obtained from Method 3 using the cache model and the  $N$ -gram model. We can see that it is useful to use the cache model and the  $N$ -gram model. However using neighboring documents to Method 3 is not so effective as using these to Method 1 and 2. Note that using the cache model and the  $N$ -gram model has similar effects as using neighboring documents. Therefore we need to improve integration scheme in our approach.

In conclusion, we got better results when using the cache model, the  $N$ -gram model, and neighboring documents. Therefore it is found that using contextual information has effectiveness for Spoken Document Retrieval.

## 5. CONCLUSIONS

This paper proposed several techniques for SDR. First, we employed a research paper corpus as a dynamic document collection in the extended Dirichlet smoothing. Second, we used linear interpolation of the cache model and the  $N$ -gram model based on the Kneser-Ney smoothing in the extended Dirichlet smoothing. Finally, we utilized neighboring documents by weighting them using the inverse proportion coefficients.

Experiments were conducted using the NTCIR-12 SpokenQuery & Doc-2 Formal-run data sets. As a result, the proposed method is successful, which adopted the extended Dirichlet smoothing using linear interpolation of the cache model and the  $N$ -gram model, further neighboring documents. It also turns out that using contextual information is important for SDR.

Our future works are as follows. It is still considered to exist unknown words in queries. We should deal with these words. We also have to investigate effectiveness of employing more related papers to queries. Moreover we try to reconsider weighting methods for using neighboring documents. It is also necessary to investigate smoothing parameters. In spite our methods using contextual information are effective, we should try to further improve the performance.

## 6. REFERENCES

- [1] T. Akiba, N. Hiromitsu, H. Nanjo, and Gareth J. F. Jones. Overview of the NTCIR-12 SpokenQuery&Doc-2 task. In *Proc. NTCIR-12*, June 2016.
- [2] K. Hara, H. Taguchi, K. Nakajima, M. Takehara, S. Tamura, and S. Hayamizu. Segmented spoken document retrieval using word co-occurrence information. In *Proc. NTCIR11*, pages 395–401, December 2014.
- [3] K. Hasegawa, H. Sekiya, M. Takehara, T. Niinomi, S. Tamura, and S. Hayamizu. Toward improvement of SDR accuracy using LDA and query expansion for SpokenDoc. In *Proc. NTCIR9*, pages 261–263, December 2011.
- [4] K. Hasegawa, M. Takehara, S. Tamura, and S. Hayamizu. Spoken document retrieval using extended query model and web documents. In *Proc. NTCIR10*, pages 608–611, June 2013.
- [5] K. Ichikawa, N. Kitaoka, S. Tsuge, K. Takeda, and K. Kita. Improvement of Spoken Document Retrieval based on Various Text Retrieval Models. *IPSJ Journal*, 56:1003–1012, 2015.
- [6] H. Nanjo, T. Yoshimi, S. Maeda, and T. Nishio. Spoken Document Retrieval Experiments for SpokenQuery&Doc at Ryukoku University(RYSST). In *Proc. NTCIR11*, December 2014.
- [7] B. Chen, K. Chen, P. Chen, and Y. Chen. Spoken Document Retrieval With Unsupervised Query Modeling Techniques. *IEEE TRANSACTIONS ON AUDIO, SPEECH, AND LANGUAGE PROCESSING*, 20:2602–2612, 2012.
- [8] C. Zhai and J. Lafferty. A study of smoothing methods for language models applied to information retrieval. *ACM Trans. Inf. Syst.*, 22:179–214, 2004.
- [9] D.J.C. MacKay and L.C.B. Peto. A hierarchical Dirichlet language model. *Natural Language Engineering*, 1:289–307, 1995.
- [10] T. Kawahara, Y. Nemoto, N. Katsumaru, and Y. Akita. Automatic Lecture Transcription by Exploiting Slide Information for Language Model Adaptation. *IPSJ Journal*, 50:469–476, 2009.
- [11] H. Taguchi, S. Tamura, and S. Hayamizu. Expansion of query and documents using relevant documents in spoken document retrieval. In *Proc. 2015 Autumn Meeting, Acoustical Society of Japan*, pages 3–Q–10, September 2015.